CENTRAL FAX CENTER

MAR 0 8 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/605,586

Filed

October 10, 2003

Atty. Docket No.

03-0925

For

Interior Seating Architecture for Aircraft

Date

March 3, 2006

CERTIFICATE OF FACSIMILE TRANSMISSION

The undersigned hereby certifies that this correspondence (8 pages) is being transmitted by facsimile to the Centralized Facsimile Number (571-

BEST AVAILABLE COPY

273-8300), Commissioner for Patents, P.O. Box 1450, Alexandria,

Virginia 22313-1450 on the date set forth below.

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

March C Date

SUBMISSION OF POWER OF ATTORNEY

Sir:

Please accept the following power of attorney form, and statement under 37 CFR 3.73(b), in the above-referenced patent application. Applicants hereby request that all future correspondence be directed to Customer Number 44702, Ostrager Chong Flaherty & Broitman, P.C., 250 Park Avenue, Suite 825, New York, New York 10177-0899.

Respectfully submitted,

March 3, 2006

Date

oshua S. Broitman Reg. No. 38,006

Ostrager Chong Flaherty &

Broitman P.C.

250 Park Avenue, Suite 825

New York, New York 10177-0899

Tel. No.: (212) 681-0600

PTC/SB/80 (04-05)

Approved for use through 11,00/2005, CMB 0631-0025

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a void QMB control number.

POWER OF ATTORNEY TO COLORS

PO	POWER OF ATTORNEY TO PROSECUTE APPLICATIONS BEFORE THE USPTO								
I hereby re		revious powers of attorney	given in the app	olication identified	in the attack	ned statement under			
I hereby a									
5.7	• •	lated with the Customer Number;	447	02					
ORAN	ORAND								
		Name	Registration Number	1	lame	Registration Number			
G	lenn F.	Ostrager	29,963	Andres Mad	rid	40.710			
		. Flaherty	31,159	Lisa N. Be	nado	39,905			
	oshua S.	. Broitman	38,006	Terje Gudm		32,232			
L	eighton	K. Chong	27,621	Eric Sater	TRO	40,159			
M	anette (Dennis	30,623	John R. Ra		28,533			
as attorney(s) of agent(s) patent applica	to represent the undersigned bet tions assigned only to the unders	ore the United State igned according to	es Patent and Tradema the USPTO assignmen	ark Office (USF al records or a:	PTO) in connection with ssignment documents			
attached to t	inis form in ac	cordance with 37 CFR 3.73(b).							
Please chan	nge the corres	spondence address for the applica	don identified in the	u finemateta barbette	nder 37 CFR 3	3.73(b) to:			
				· .a					
ה (גע) אס	ne address as	sociated with Customer Number:	4470)Z					
Firm		D-4 Ch	Clabanes o	Dundaman DC					
Address	idua <u>l Name</u>	Ostrager Chong							
		250 Park Avenue		<u> </u>	I Zie				
City		New York	State	\\		10177-0899			
Country		USA			_				
Telephone	,	(212) 681-0600		Email gostra	ger@ocfb	law.com_			
Applement									
Assignce N	ama and Add	The Boeing Comp	any						
1		100 N. Riversid	e Plaza						
	Chicago, IL 60606								
A copy of	A copy of this form, together with a statument under 37 CFR 3.73(b) (Form PTO/3B/96 or equivalent) is required to be								
filed in aa	filed in each application in which this form is used. The statement under 37 CFR 3.72(b) may be completed by one of the practitioners appointed in this form if the appointed practitioner is authorized to act on behalf of the assignee,								
and must identify the application in which this Power of Attorney is to be filed.									
	SIGNATURE of Assignee of Record The judificual whose signification and hiteless campling include is authorized to act on behalf of the sestimon								
Signature	1	00/1/			Date Dec	ember 22, 2005			
Name	Perio	Gudmestad				(949) 790-1374			
Tille		el. The Boeing Com	pany						

This collection of information is required by 37 GFR 1.31, 1.32 and 1.33. The information is required to obtain or retain a limited by this public which is to the (and by the USFTO to process) an application. Confider(high) is governer by 35 U.S.C. 122 and 37 GFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete. Including gathering, preparing, and submitting the exception form to the USFTO. Then will vary depending upon the individual case. Any U.S. Potent and transport of three you require to complete this form and/or exgansions for reducing this learnest, should be sent to the Chief information Officer, U.S. Potent and Trademark Office, U.S. Operational of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patients, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-0199 and salact option 2.

RECEIVED CENTRAL FAX CENTER

MAR 0 8 2006

PTO/659/36 (11-05)
Approved for use through 97/31/2008, OMB 9851-9931
U.S. Patent and Tradement Office, U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless & displays a valid OMB control number.

STATEMENT UNDER 37 CFR 3.73(b)
Applicant/Patent Owner: The Boeing Company
Application No./Palent No.: see attached Filed/Issue Date: See attached
Entitled:
The Boeing Company a Corporation (Name of Assignes) (Type of Assignes, e.g., corporation, parametric, university, government agency, etc.) states that it is:
1. The assignee of the entire right, title, and interest, or 2. an assignee of leas than the entire right, title and interest (The extent (by percentage) of its ownership interest is%)
in the patent application/patent identified above by virtue of either:
A An assignment from the inventor(s) of the patent application/patent identified above. The assignment was recorded in the United States Patent and Trademark Office at Reel, Frame, or for which a copy thereof is attached. OR
B. A chain of title from the inventor(s), of the patent application/patent identified above, to the current assignee as follows:
1. From: The document was recorded in the United States Patent and Trademark Office at Roct from a or for which a copy thereof is attached.
From: To: The document was recorded in the United States Patent and Trademark Office at
The document was recorded in the United States Patent and Trademark Office at Reel Frame or for which a copy thereof is attached.
3, From:
The document was recorded in the United States Patent and Trademark Office at Reel or for which a copy thereof is attached.
Additional documents in the chain of title are listed on a supplemental sheet.
As required by 37 CFR 3.73(b)(1)(i), the documentary evidence of the chain of title from the original owner to the assignee was, or concurrently is being, submitted for recordation pursuant to 37 CFR 3.11.
[NOTE: A separate copy (i.e., a true copy of the original assignment document(s)) must be submitted to Assignment Division in accordance with 37 CFR Part 3, to record the assignment in the records of the USPTO. See MPEP 302.08]
The undersigned whose titled supplied belief it surpared to behalf of the assignee. December 22, 2005
Signature Date
Terje Gudmestad (949) 790-1374
Printed or Typed Name Telephone Number
Counsel, The Boeing Company

This collection of information is required by 37 CFR 3.73(b). The information is required to obtain or retain a banefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C, 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including quitering, preparing, and automating the completed application form to the USPTO. There will vary departing upon the individual case. Any comments on the property of time you require to complete this form and/or suggestions for reducing this buston, should be sort to the Critic Information Officer. U.S. Palent and Trademark Office, U.S. Department of Committee, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Committee for Patentia, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

	. (4)	SALES OF THE PARTY		1 - 3 - 4 - 5 - 5	Jane 1889	
00253		WIDE-BANDGAP, LATTICE-MISMATCHED	09/976,508	12-Oct-01		0096
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		WINDOW LAYER FOR A SOLAR ENERGY		[
		CONVERSION DEVICE	}			1
00253	Α	WIDE-BANDGAP, LATTICE-MISMATCHED	10/356,028	31-Jan-03	014259	0577
00233	_	WINDOW LAYER FOR A SOLAR ENERGY				ì
	İ	CONVERSION DEVICE	[ì
200265		ANTENNA FEEDFORWARD INTERFERENCE	09/853,475	11-May-01	011809	0297
200200	1	CANCELLATION SYSTEM	1			
		SEMICONDUCTOR CIRCUITS AND DEVICES	09/850,773	08-May-01	011792	0263
200300	1	ON GERMANIUM SUBSTRATES	03000,770	oo may o.		
	-	Liquid Hydrogen Fueled Aircraft with High Wing	29/189,740	10-Sep-03	016149	0392
00-085	<u>c</u>	Method and System for Reducing Stress	10/905,484	06-Jan-05		0545
1-001	į	Method and System for Reducing Stress	10/505,464	00-101-05	010002	100.0
	1	Concentrations in Lap Joints	10/404,742	01-Apr-03	013038	0241
1-1048	İ	Method and System for Utilizing Low Pressure	10/404,/42	01-441-03	013330	UZ-41
	i	for Perforating and Consolidating an Uncured				1
	1	Laminate Sheet in One Cycle of Operation	10.00	27-Jul-04	04 4000	0101
1-1163	Α	Low Chamfer Angled Torque Tube End Fitting	10/710,645	2/-Jul-04	เกาสอลล	וטוטו
	<u>.</u>	With Elongated Overflow Groove			1	
01-275		Simulation System And Method	09/865,293	25-May-01		0356
)1-458	!	Dual-Band Multiple Beam Antenna System For	10/060,822	30-Jan-02	4012557	0533
	1	Communication Satellites	<u> </u>		<u> </u>	
01-458	Α	Dual-Band Multiple Beam Antenna System For	11/259,913	27-Oct-05	012557	0533
		Communication Satellites				
01-519	i	Electronic Network Filter for Classified	10/137,974	03-May-02		0731
01-565		Aircraft Surface Ice Inhibitor	10/161,238	31-May-02		0635
01-572	1	A Method for Detecting Foreign Object Debris	09/954,404	17-Sep-01	012181	0775
01-704	1-	Operating Point Independent Digital Automatic	10/389,034	14-Mar-03	013876	0735
- •	į	Level Control		ļ		.
01-799	-}	Redundant Power Distribution System	10/615,705	09-Jul-03	014267	0982
01-926		Closed-Loop Pointing System with Spot Beams	10/349,294			0930
01-320	i	and Wide-Area Beams		ì	1	-
01-965	··	Method and System Having a Flowable	10/404,993	01-Apr-0	3013938	0234
01-000	į	Pressure Pad for Consolidating an Uncured	1	1		1
	ì	Laminate Sheet in a Cure Process	1	ł		i
02-0018	- †	Thermographic System and Method for	10/274,273	18-Oct-0	014219	0150
UZ-UV 10		Detecting Imperfections within a Bond	10,2,4,2.0	10000		1
02-0033	→	Operational Ground Support System	10/847,739	17-May-0	4 015160	0505
	- -	Operational Ground Support System	10/711,610	28-Sep-0		0354
02-0033	<u> A</u>	Carry-On Luggage System for an Operational	11/163,405		5 D16655	0986
02-0033	E		111105.400	10 002-0		10000
		Ground Support System Low-Penetration-Force Pinmat for Perforating	10/397,003	25-Mar-0	2013018	0156
02-0050	ì		100391,003	25-14(8)-0	9010310	(0.00
		an Uncured Laminate Sheet	10/142,461	10-May-0	2012899	0867
02-0128		Multi-Dimensional Fractional Number of Bits	100142,401	i to-iviay-o	2012033	jooo
	- 	Modulation Scheme	140007 047	20-Dec-0	2042540	0959
02-0173	1	Increased Propellant Performance From Equal	10/327,317	20-Dec-0	4013010	0505
	↓	Volume Propellant Tanks	400000	46.0-4.0	2 042704	0026
<u>02-0256</u>		Rechargeable Composite Ply Applicator	10/272,085		2 013704	0926 0926
02-0256	A	Rechargeable Composite Pty Applicator	11/186,582		5 013704	
02-0390	ļ	Dual Transmission Emergency Communication	10/337,530	07-Jan-0	3 013644	0043
		System	140000	1000	A 0400-0	
02-0627		Improved Honeycomb Cores For Aerospace	10/238,381	06-Sep-0	2013276	0573
	1	Applications	ţ	1	1	3

		Continue de la company de la company de la company de la company de la company de la company de la company de		Fig. Spite 1		
			452			
02-0667			10/310,457	05-Dec-02		0810
02-0714		Robust Palladium Based Hydrogen Sensor	10/382,187	05-Mar-03		0309
02-0718		Optical Differential Quadrature Phase-Shift Keyed Decoder	10/281,676	28-Oct-02		0036
02-0889		Constant Vertical State Maintaining Cueing System	10/613,253	03-Jul-03	014295	0258
02-0930	A	COMMERCIAL AIRCRAFT ON-BOARD	10/708,110	10-Feb-04	014318	0304
02-1095	<u>. </u>	INERTING SYSTEM Programmable Messages for Communication	10/310,275	05-Dec-02	013554	0714
	ļ	System having One-Button User Interface	10/310,481	05-Dec-02	012EE4	0606
02-1096	<u> </u>	Communications Protocol for Mobile Device				0000
02-1150	<u> </u>	On Orbit Variable Power High Power Amplifiers for a Satellite Communications System	10/365,359	12-Feb-03		
02-1189		VARIABLE HIGH POWER AMPLIFIER WITH CONSTANT OVERALL GAIN FOR A SATELLITE COMMUNICATION SYSTEM	10/431,903	08 May-03	014060	0978
02-1221		Serial Port Multiplexing Protocol	10/310.751	05-Dec-02	013553	0935
02-1231		METHOD FOR PREPARING ULTRA-FINE. SUBMICRON GRAIN TITANIUM AND TITANIUM-ALLOY ARTICLES AND ARTICLES PREPARED THEREBY	10/707,173	25-Nov-03	014153	0797
02-1244		Fiber Matrix for a Geometric Morphing Wing	10/357,022	03-Feb-03	013728	0097
02-1264	ļ—	Resonator Box to Laser Cavity Interface for Chemical Laser	10/396,804	24-Mar-03		0840
02-1300	<u> </u>	A Pattern Method and System for Detecting Foreign Object Debris	10/384,037	07-Mar-03	014708	0030
02-1349		Integrated Window Display	10/383,012	06-Mar-03	013861	0001
03-0030	<u> </u>	PPM RECEIVING SYSTEM AND METHOD USING TIME-INTERLEAVED INTEGRATORS	10/707,076	19-Nov-03		0908
03-0138	- }—.	Capacitive Acceleration Derivative Detector	10/604,537	30-Jul-03	013834	0446
03-0138	<u></u>	AUTONOMOUSLY ASSEMBLED SPACE	10/605,797			0717
0400	<u> </u>	TELESCOPE Color	10/710,177	24-Jun-04	014750	0432
03-0193 03-0196	Α	Fast Access, Low Memory, Pair Catalog Method and Apparatus for Real-Time Star	10/709,346	29-Apr-04		0263
	ــــ	Exclusion From A Database	10/710,178] 24-Jun-04	014750	0735
03-0197	Α	Method and Appartus For On-Board Autonomous Pair Catalog Generation	Ĺ		ļ	
03-0208	7	Variable-Duct Support Assembly	10/708,864			0228
03-0271	<u> </u>	BEAMFORMING ARCHITECTURE FOR MULT BEAM PHASED ARRAY ANTENNAS	110/707,211	26-Nov-03	014159	0794
03-0348	-	Aircraft Interior Configuration Detection System	10/710,287	30-Jun-04	014796	0966
03-0414	†	CRYOGENIC FUEL TANK INSULATION ASSEMBLY	10/605,599			0939
03-0431	<u> </u>	Aircraft Secondary Electric Load Controlling	10/604,189	30-Jun-03	013765	0377
03-0489	†-	System GPS NAVIGATION SYSTEM WITH INTEGRITY AND RELIABILITY MONITORING	10/605,890	04-Nov-03	014100	0958
03-0520	-	Integrated Capacitive Bridge Integrated Flexure		29-Sep-04	015837	0448
03-0527	+	Functions Inertial Measurement Unit Dynamic Seat Labeling and Passenger Identification System	10/707,965	28-Jan-04	14287	0001

7 (M) (M)	3.4		App. 443	**		Destricted the
3-0684		Integral Clamping-and-Bucking Apparatus for	10/904,978	08-Dec-04	015424	0962
3-0004	1	Utilizing a Constant Force and Installing Rivet	(
	,	Fasteners in a Sheet Metal Joint	1	}		
	·	Heavy Particle Lorentz Force Accelerator	10/709,620	18-May-04	014623	0324
3-0755		THERE PARTICIPE LOCATION ASSESSMENT	10/688,624	17-Oct-03	014625	0753
3-0835		Aircraft Archway Architecture	29/192,055	17-Oct-03		0075
	<u>A</u>	Interior Archway for an Aircraft	10/908,140	28-Apr-05		0075
	B	Aircraft Interior Architecture	29/228,800	28-Apr-05		0075
3-0835	C	Modular Archway for an Aircraft		13-Jun-05		0060
3-0885	1	Lightweight Composite Fairing Bar and Method	11/160,192	13-701-00	010102	0000
	<u></u> .	for Manufacturing the Same	401005 FDE	10-Oct-03	044040	0514
3-0925		Interior Seating Architecture for Aircraft	10/605,586	29-Apr-04		0363
3-0963		MULTIPLE STAYOUT ZONES FOR GROUND-	10/709,348	29-Apr-04	014007	0303
	,	BASED BRIGHT OBJECT EXCLUSION			04.1047	0512
3-1090]	Translucent, Flame Resistant Composite	10/707,812	24-Dec-03	014217	0512
	!	Materials	<u> </u>		<u> </u>	
3-1104		Shower System	10/708,749	23-Mar-04		0233
3-1129	- م الم	Unauthorized Access Embedded Software	10/658,159	09-Sep-03	014496	0326
	,	Protection System				
3-1138	┿-~	Undercut for Bushing Retention for SLS Details	10/710,144	22-Jun-04	014760	0698
3-1140		SLS for Tooling Applications	10/710,163	23-Jun-04	014767	0205
3-1308		Mandrel, Mandrel Removal and Mandrel	10/907,320	29-Mar-05	015838	0315
J3- 1300	į	Fabrication to Support a Monolithic Nacelle				1
	i		Ī	1		1
	<u>-‡ ~</u>	Composite Panel Extended Accuracy Variable Capacitance	10/952,952	29-Sep-04	015855	0647
03-1471			,,,,,,,,,		1	1
	!	Bridge Accelerometer	10/904.717	24-Nov-0	4015391	0571
03-1526		Flexible Mandrel for Highly Contoured	10/204,711	1	70.555	ļ., .
	<u>.</u>	Composite Stringer AN INTEGRATED TRANSPORT SYSTEM AND	140/700 777	27 Nov. C	4 014884	0676
04-0016	Α	AN INTEGRATED TRANSPORT STSTEM AND	יייי, בטוזטו יָנ	; 21-way-0	יייייייייייייייייייייייייייייייייייייי	10070
		METHOD FOR OVERHEAD STOWAGE AND	Ì	:		1
		RETRIEVAL	144 7000 0014		5 016178	0162
04-0054	Α	REAL-TIME REFINEMENT METHOD OF	11/028,094	02-191FC	3010110	0102
		SPACECRAFT STAR TRACKER ALIGNMENT	1	ţ	1	
	·	ESTIMATES	- 	12.5	A DA FORT	0039
04-0070	i	Enhanced Pinmat for Manufacturing High-	10/904,012	19-Oct-0	4 015267	0028
	İ	Strenth Perforated Laminate Sheets	<u>.</u>		12	1==00
04-0072	_	Overhead Space Access Conversion Monumer	ıl 10/708,810	26-Mar-0	4 014451	0789
	ŀ	and Service Area Staircase and Stowage	<u> </u>	1		
04-0073	1	Stowable Spiral Staircase System for Overhead	1 10/708,855	29-Mar-0	4 014457	0168
•	İ	Space Access	·	.i		
04-0089	+	Determinant Assembly Features for Vehicle	10/904,802	30-Nov-0	4015399	0122
07 0000	1	Structures	·	<u> </u>		
04-0092		Overhead Space Access Stowable Staircase	10/708,733	22-Mar-0	4014435	0168
04-0097		MANDREL WITH DIFFERENTIAL IN	10/904,709		4 015391	0450
U4-0091	į	THERMAL EXPANSION TO ELIMINATE		}	}	
A 040-		Method to Improve Properties of Aluminum	10/939,528	13-Sep-0	14 016635	0434
04-0137	ļ	Alloys Processed by Solid State Joining	1	}		
04 6555		Segmented Flexible Barrel Lay-up Mandrel	10/904,841	01-Dec-C	015404	0307
04-0208			10/711,55		04 015171	
04-0304		Mist Delivery System	10/904,800		015403	
04-0384		Self-Locating Feature for a Pi-Joint Assembly	10/904,804	30-Nov-	015399	
04-0385	1	Minimum Bond Thickness Assembly Feature	10/304,00	1 30 100	75.0030	1
	_	Assurance	107714 200	15-Sep-(14 015120	0758
04-0567	1	Aircraft Cabin Crew Complex	10// 11,380	12-25/2	<u> </u>	10100

				4		Esperie de la
04-0588		Articulated Spacecraft Seat and Stretcher	10/906,482	22-Feb-05		0268
04-0589	···	Composite Shell Spacecraft Seat	10/905,483	06-Jan-05	015529	0975
04-0590		Adjustable Attenuation System for a Space Re-	10/907,931	21-Apr-05	015926	0242
U4-U59U		Entry Vehicle Seat	10000,50	21.4.00	••••	
A 0567			10/908,757	04-Mar-05	015730	0856
04-0667		Airport Security System Protective Cover and Tool Splash for Vehicle	10/907,786	15-Apr-05		0530
04-0681			10,001,100	10.101.00		1
		Pivot Mechanism for Quick Installation of	10/905,502	07-Jan-05	015543	0015
04-0741			10/803,302	01-041-05	013573	100.0
		Stowage Bins or Rotating Items	10/907,600	07-Apr-05	015975	0804
04-0747		Stowable Table	11/102,401	08-Apr-05		0082
04-0765		Layered, Transparent Thermoplastic for	11/102,401	00-141-00	010000	Joone
		Flammability Resistance	10/905,211	21-Dec-04	015477	0601
04-0791	ļ	Electromagnetic Mechanical Pulse Forming of	10/905,Z11	21-060-04	013477	0001
	! 	Fluid Joints for High-Pressure Applications	40007000	22 3 05	DIEDOC	0923
04-0793	<u> </u>	Airplane Interior Systems	10/907,990	22-Apr-05		0742
04-0805	<u> </u>	Compensated Composite Structure	10/994,848	22-Nov-04		0473
04-0824	<u> </u>	Aircraft Cart Transport and Stowage System	10/906,465			
04-0859	Ĺ	Magnetic Null Accelerometer	10/905,007	09-Dec-04		0879
04-0893	į	In-Process Vision Detection of Flaws and FOD	10/904,719	24-Nov-04	015397	0395
	<u> </u>	By Back Field Illumination	<u> </u>			
04-0914	1	Aircraft Sink with Integrated Waste Disposal	10/907,625	08-Apr-05	015877	0782
	<u>. </u>	Function				
04-0977		Extended Accuracy Flexured Plate Dual	10/907,751	14-Apr-05	016279	0012
	ĺ	Capacitance Accelerometer	<u> </u>			
04-0993	!	Design Methodology to Maximize the	10/907,973	22-Apr-05	015933	0523
!	<u> </u>	Application of Direct Manufactured Aerospace	l			
04-0993	Α	!Flow Optimized Stiffener for Improving Rigidity	11/162,261	02-Sep-05	016490	0847
	<u>.</u>	of Ducting	.)			
04-1054	Ţ	Electromagnetic Mechanical Pulse Forming of	11/028,093	03-Jan-05	016178	0741
	1	Fluid Joints for Low-Pressure Applications				
04-1137	Ī	Jet Airplane Configuration	29/220,256	28-Dec-04		0260
04-1137	Α	Jet Airplane Configuration	29/220,254	28-Dec-04	016209	0953
04-1137	B	Jet Airplane Configuration	29/220,255	28-Dec-04		0268
04-1240	1	Method and Apparatus for Optically Detecting	11/164,414	22-Nov-05	016808	0671
	}	and Identifying a Threat	<u> </u>	<u> </u>	<u> </u>	1
04-1256	-	Multi-Ring System for Fuselage Formation	10/907,729	13-Apr-05	015899	0016
04-1263	1	Integrally Damped Composite Aircraft Floor	11/163,957	04-Nov-05	016732	0779
	1	Panels	<u> </u>	l	<u> </u>	
05-0020	7	Integrated Wiring for Composite Structures	11/163,001	30-Sep-05		0244
05-0084	T	Aircraft Stowage Bin	11/163,801	31-Oct-05		0199
05-0164	i —	Multiple Attendant Galley	11/160,958	18-Jul-05		0577
05-0263	1	Universal Apparatus for the Inspection,	11/161,735	15-Aug-05	016403	0090
	1	Transportation, and Storage of Large Shell	1	_	Ì	1
	ļ	Structures	<u>i</u>		!	
05-0288	7	Stringer Holding Device	11/162,257	02-Sep-05	016490	0528
05-0300	i	Ceiling Illumination for Aircraft Interiors	11/164,267		016788	0183
05-0302	i	Collapsible Guide for Non-Automated Area	11/161,769		016406	0593
, 	1	Inspections		-		i
05-0355	†·-·~	Antenna Vibration Isolation Mounting System	11/164,309	17-Nov-05	016795	0416
05-0360	† 	Renewable Superhydrophobic Coaling	11/160,600			0284
05-0377	1-	Flow Path Splitter Duct	11/163,137			0041
05-0402	†	Rotor/Wing Dual Mode Hub Fairing System	11/162,924			0959

89.4.4.30 TA		3.400 300 3	Taring System	य अबे न्यूरी	for them to be
05-0410	Dehumidifying Radome Vent	11/164,225		016781	0030
05-0466	Environmentally Stable Hybrid Fabric System for Exterior Protection of an Aircraft	11/163,614	25-Oct-05	016680	0681
05-0493	Space Depot For Spacecraft Resupply	11/162,333	07-Sep-05	016498	0797
05-0541	Anti-Personnel Airborne Radar Application	11/162,474	12-Sep-05	016526	į 085 5
05-0624	An Uploaded Lift Offset Rotor System For A Helicopter	11/163,414	18-Oct-05		0683
05-0723	Method to Control Thickness in Composite Parts Cured on Closed Angle Tool	11/164,103	10-Nov-05	016762	0863

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.